

1.67 ASPHERIC RAYSAFE ULTRON

| (-) on (-) | |
|------------|--|
| SPH | -CYL |
| (-) | 0.00 0.25 0.50 0.75 1.00 1.25 1.50 1.75 2.00 2.25 2.50 2.75 3.00 3.25 3.50 3.75 4.00 |
| 0.00 | |
| 0.25 | |
| 0.50 | |
| 0.75 | |
| 1.00 | |
| 1.25 | |
| 1.50 | |
| 1.75 | |
| 2.00 | |
| 2.25 | |
| 2.50 | |
| 2.75 | |
| 3.00 | |
| 3.25 | |
| 3.50 | |
| 3.75 | |
| 4.00 | |
| 4.25 | |
| 4.50 | |
| 4.75 | |
| 5.00 | |
| 5.25 | |
| 5.50 | |
| 5.75 | |
| 6.00 | |
| 6.25 | |
| 6.50 | |
| 6.75 | |
| 7.00 | |
| 7.25 | |
| 7.50 | |
| 7.75 | |
| 8.00 | |
| 8.25 | |
| 8.50 | |
| 8.75 | |
| 9.00 | |
| 9.25 | |
| 9.50 | |
| 9.75 | |
| 10.00 | |

| | |
|-------------------------|---------------------------|
| NORMAL CYL DIA 75 mm | EXTENDED CYL DIA 75 mm |
| NORMAL CYL DIA 70 mm | EXTENDED CYL DIA 70 mm |

| (+) on (-) | |
|------------|--|
| SPH | -CYL |
| (+) | 0.00 0.25 0.50 0.75 1.00 1.25 1.50 1.75 2.00 2.25 2.50 2.75 3.00 3.25 3.50 3.75 4.00 |
| 0.00 | |
| 0.25 | |
| 0.50 | |
| 0.75 | |
| 1.00 | |
| 1.25 | |
| 1.50 | |
| 1.75 | |
| 2.00 | |
| 2.25 | |
| 2.50 | |
| 2.75 | |
| 3.00 | |
| 3.25 | |
| 3.50 | |
| 3.75 | |
| 4.00 | |
| 4.25 | |
| 4.50 | |
| 4.75 | |
| 5.00 | |
| 5.25 | |
| 5.50 | |
| 5.75 | |
| 6.00 | |

| | |
|-------------------------|-------------------------|
| NORMAL CYL DIA 65 mm | NORMAL CYL DIA 65 mm |
|-------------------------|-------------------------|